ELSEVIER

Artificial Intelligence 140 (2002) 255–262

Artificial Intelligence

www.elsevier.com/locate/artint

Master Index—Volumes 131–140

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Aiolli, F. and A. Sperduti
A re-weighting strategy for improving margins **137** (2002) 197–216
Aisbett, J. and G. Gibbon
A general formulation of conceptual spaces as a meso level representation **133** (2001) 189–232
Alferes, J.J., L.M. Pereira, H. Przymusinska and T.C. Przymusinski
LUPS—A language for updating logic programs **138** (2002) 87–116
Al-Jarrah, O. and A. Halawani
Recognition of gestures in Arabic sign language using neuro-fuzzy systems **133** (2001) 117–138
Alonso-Betanzos, A., see Guijarro-Berdiñas, B. **136** (2002) 1– 27
Amilhastre, J., H. Fargier and P. Marquis
Consistency restoration and explanations in dynamic CSPs—Application to configuration **135** (2002) 199–234
Anshelevich, V.V.
A hierarchical approach to computer Hex **134** (2002) 101–120

Bacchus, F., X. Chen, P. van Beek and T. Walsh
Binary vs. non-binary constraints **140** (2002) 1– 37
Bell, D., see Cheng, J. **137** (2002) 43– 90
Ben-Eliyahu-Zohary, R.
Yet some more complexity results for default logic **139** (2002) 1– 20
Bernard, O. and J.-L. Gouzé
Global qualitative description of a class of nonlinear dynamical systems **136** (2002) 29– 59
Bettini, C., X.S. Wang and S. Jajodia
Solving multi-granularity temporal constraint networks **140** (2002) 107–152
Billings, D., A. Davidson, J. Schaeffer and D. Szafron
The challenge of poker **134** (2002) 201–240

0004-3702/2002 Published by Elsevier Science B.V.
PII: S0004-3702(02)00315-6

Bistarelli, S., P. Codognet and F. Rossi
Abstracting soft constraints: Framework, properties, examples **139** (2002) 175–211
Bolotov, A., see Dixon, C. **139** (2002) 47– 89
Boutsinas, B. and M.N. Vrahatis
Artificial nonmonotonic neural networks **132** (2001) 1– 38
Bouzy, B. and T. Cazenave
Computer Go: An AI oriented survey **132** (2001) 39–103
Bowling, M. and M. Veloso
Multiagent learning using a variable learning rate **136** (2002) 215–250
Bradley, E., M. Easley and R. Stolle
Reasoning about nonlinear system identification **133** (2001) 139–188
Brafman, R.I. and N. Friedman
On decision-theoretic foundations for defaults **133** (2001) 1– 33
Broxvall, M., P. Jonsson and J. Renz
Disjunctions, independence, refinements **140** (2002) 153–173
Buro, M.
Improving heuristic mini-max search by supervised learning **134** (2002) 85– 99

Callaway, C.B. and J.C. Lester
Narrative prose generation **139** (2002) 213–252
Campbell, M., A.J. Hoane Jr. and F.-h. Hsu
Deep Blue **134** (2002) 57– 83
Cazenave, T., see Bouzy, B. **132** (2001) 39–103
Chen, X., see Bacchus, F. **140** (2002) 1– 37
Cheng, J., R. Greiner, J. Kelly, D. Bell and W. Liu
Learning Bayesian networks from data: An information-theory based approach **137** (2002) 43– 90
Codognet, P., see Bistarelli, S. **139** (2002) 175–211
Cohn, A.G. and D. Perlis
"Field Reviews": A new style of review article for *Artificial Intelligence* (Editorial) **131** (2001) 189
Cui, B. and T. Swift
Preference Logic Grammars: Fixed point semantics and application to data standardization **138** (2002) 117–147

Davidson, A., see Billings, D. **134** (2002) 201–240
Davis, E.
Two machine learning textbooks: An instructor's perspective (Book Review) **131** (2001) 191–198
Dechter, R. and D. Frost
Backjump-based backtracking for constraint satisfaction problems **136** (2002) 147–188
Delgrande, J., A. Gupta and T. Van Allen
A comparison of point-based approaches to qualitative temporal reasoning **131** (2001) 135–170

Dixon, C., M. Fisher and A. Bolotov
Clausal resolution in a logic of rational agency **139** (2002) 47– 89
Do, M.B., see Srivastava, B. **131** (2001) 73–134
Do, M.B. and S. Kambhampati
Planning as constraint satisfaction: Solving the planning graph by compiling it into CSP **132** (2001) 151–182
Dung, P.M. and T.C. Son
An argument-based approach to reasoning with specificity **133** (2001) 35– 85
Düntsch, I., see Gediga, G. **132** (2001) 219–234

Easley, M., see Bradley, E. **133** (2001) 139–188
Engesser, K. and D.M. Gabbay
Quantum logic, Hilbert space, revision theory **136** (2002) 61–100

Fargier, H., see Amilhastre, J. **135** (2002) 199–234
Felner, A., see Korf, R.E. **134** (2002) 9– 22
Fisher, M., see Dixon, C. **139** (2002) 47– 89
Flach, P.A.
On the state of the art in machine learning: A personal review (Field Review) **131** (2001) 199–222
Fontenla-Romero, O., see Guijarro-Berdiñas, B. **136** (2002) 1– 27
Forman, S., see Segre, A.M. **140** (2002) 71–106
Fouks, J.-D. and L. Signac
The problem of survival from an algorithmic point of view **133** (2001) 87–116
Friedman, N., see Brafman, R.I. **133** (2001) 1– 33
Frost, D., see Dechter, R. **136** (2002) 147–188

Gabbay, D.M., see Engesser, K. **136** (2002) 61–100
Gediga, G. and I. Düntsch
Rough approximation quality revisited (Research Note) **132** (2001) 219–234
Gelfond, M. and N. Leone
Knowledge Representation and Logic Programming (Editorial) **138** (2002) 1
Gelfond, M. and N. Leone
Logic programming and knowledge representation—The A-Prolog perspective **138** (2002) 3– 38
Gerevini, A. and J. Renz
Combining topological and size information for spatial reasoning **137** (2002) 1– 42
Gibbon, G., see Aisbett, J. **133** (2001) 189–232
Gottlob, G., F. Scarcello and M. Sideri
Fixed-parameter complexity in AI and nonmonotonic reasoning **138** (2002) 55– 86
Gouzé, J.-L., see Bernard, O. **136** (2002) 29– 59
Greiner, R., see Cheng, J. **137** (2002) 43– 90

Greiner, R., A.J. Grove and D. Roth
Learning cost-sensitive active classifiers **139** (2002) 137–174
Grove, A.J., see Greiner, R. **139** (2002) 137–174
Guijarro-Berdiñas, B., A. Alonso-Betanzos and O. Fontenla-Romero
Intelligent analysis and pattern recognition in cardiotocographic signals using a tightly coupled hybrid system **136** (2002) 1– 27
Gupta, A., see Delgrande, J. **131** (2001) 135–170

Hahn, U., see Markert, K. **135** (2002) 145–198
Halawani, A., see Al-Jarrah, O. **133** (2001) 117–138
He, J. and X. Yao
Erratum to: Drift analysis and average time complexity of evolutionary algorithms [Artificial Intelligence 127 (2001) 57–85] (Corrigendum) **140** (2002) 245–248
Hoane Jr., A.J., see Campbell, M. **134** (2002) 57– 83
Horiyama, T. and T. Ibaraki
Ordered binary decision diagrams as knowledge-bases **136** (2002) 189–213
Horty, J.F.
Skepticism and floating conclusions **135** (2002) 55– 72
Hsu, F.-h., see Campbell, M. **134** (2002) 57– 83

Ibaraki, T., see Horiyama, T. **136** (2002) 189–213
Ibaraki, T., A. Kogan and K. Makino
On functional dependencies in q-Horn theories **131** (2001) 171–187
Iida, H., M. Sakuta and J. Rollason
Computer shogi **134** (2002) 121–144

Jajodia, S., see Bettini, C. **140** (2002) 107–152
Jing, H., see Liu, J. **136** (2002) 101–144
Jonsson, P., see Broxvall, M. **140** (2002) 153–173
Jussien, N. and O. Lhomme
Local search with constraint propagation and conflict-based heuristics **139** (2002) 21– 45

Kambhampati, S., see Do, M.B. **132** (2001) 151–182
Kambhampati, S., see Nguyen, X. **135** (2002) 73–123
Kambhampati, S., see Srivastava, B. **131** (2001) 73–134
Keim, G.A., see Littman, M.L. **134** (2002) 23– 55
Kelly, J., see Cheng, J. **137** (2002) 43– 90
Knight, K. and D. Marcu
Summarization beyond sentence extraction: A probabilistic approach to sentence compression **139** (2002) 91–107
Kogan, A., see Ibaraki, T. **131** (2001) 171–187
Korf, R.E. and A. Felner
Disjoint pattern database heuristics **134** (2002) 9– 22

Lamperti, G. and M. Zanella
Diagnosis of discrete-event systems from uncertain temporal observations **137** (2002) 91–163
Larson, K. and T. Sandholm
Bargaining with limited computation: Deliberation equilibrium **132** (2001) 183–217
Lebbah, Y. and O. Lhomme
Accelerating filtering techniques for numeric CSPs **139** (2002) 109–132
Leone, N., see Gelfond, M. **138** (2002) 1
Leone, N., see Gelfond, M. **138** (2002) 3– 38
Lester, J.C., see Callaway, C.B. **139** (2002) 213–252
Lhomme, O., see Jussien, N. **139** (2002) 21– 45
Lhomme, O., see Lebbah, Y. **139** (2002) 109–132
Lifschitz, V.
Answer set programming and plan generation **138** (2002) 39– 54
Lin, F. and J.-H. You
Abduction in logic programming: A new definition and an abductive procedure based on rewriting **140** (2002) 175–205
Littman, M.L., G.A. Keim and N. Shazeer
A probabilistic approach to solving crossword puzzles **134** (2002) 23– 55
Liu, J., H. Jing and Y.Y. Tang
Multi-agent oriented constraint satisfaction **136** (2002) 101–144
Liu, W., see Cheng, J. **137** (2002) 43– 90

Makino, K., see Ibaraki, T. **131** (2001) 171–187
Marcu, D., see Knight, K. **139** (2002) 91–107
Marek, V., I. Pivkina and M. Truszczyński
Annotated revision programs **138** (2002) 149–180
Marin, R., see Navarrete, I. **140** (2002) 39– 70
Markert, K. and U. Hahn
Understanding metonymies in discourse **135** (2002) 145–198
Marquis, P., see Amilhastre, J. **135** (2002) 199–234
Mitchell, T.
Author's response to reviews of Machine Learning (Response) **131** (2001) 223–225
Müller, M.
Computer Go **134** (2002) 145–179

Navarrete, I., A. Sattar, R. Wetprasit and R. Marin
On point-duration networks for temporal reasoning **140** (2002) 39– 70
Nguyen, X., S. Kambhampati and R.S. Nigenda
Planning graph as the basis for deriving heuristics for plan synthesis by state space and CSP search **135** (2002) 73–123
Niemelä, I., see Simons, P. **138** (2002) 181–234
Nigenda, R.S., see Nguyen, X. **135** (2002) 73–123

Parsons, S., see Renooij, S. **140** (2002) 207–230
Pereira, L.M., see Alferes, J.J. **138** (2002) 87–116
Perlis, D., see Cohn, A.G. **131** (2001) 189
Pivkina, I., see Marek, V. **138** (2002) 149–180
Pollock, J.L.
Defeasible reasoning with variable degrees of justification **133** (2001) 233–282
Przymusinska, H., see Alferes, J.J. **138** (2002) 87–116
Przymusinski, T.C., see Alferes, J.J. **138** (2002) 87–116

Raphael, C.
A hybrid graphical model for rhythmic parsing **137** (2002) 217–238
Renooij, S., L.C. van der Gaag and S. Parsons
Context-specific sign-propagation in qualitative probabilistic networks **140** (2002) 207–230
Renz, J., see Broxvall, M. **140** (2002) 153–173
Renz, J., see Gerevini, A. **137** (2002) 1– 42
Resta, G., see Segre, A.M. **140** (2002) 71–106
Rollason, J., see Iida, H. **134** (2002) 121–144
Rossi, F., see Bistarelli, S. **139** (2002) 175–211
Roth, D., see Greiner, R. **139** (2002) 137–174
RoyChowdhury, P., see Singh, Y.P. **131** (2001) 55– 71

Sakuta, M., see Iida, H. **134** (2002) 121–144
Sandholm, T.
Algorithm for optimal winner determination in combinatorial auctions **135** (2002) 1– 54
Sandholm, T., see Larson, K. **132** (2001) 183–217
Sattar, A., see Navarrete, I. **140** (2002) 39– 70
Scarcello, F., see Gottlob, G. **138** (2002) 55– 86
Schaeffer, J., see Billings, D. **134** (2002) 201–240
Schaeffer, J. and H.J. van den Herik
Games, computers, and artificial intelligence **134** (2002) 1– 7
Schröder, B.S.W.
Determining if (FC-) (conflict-directed) backjumping visits a given node is NP-hard (Research Note) **132** (2001) 105–117
Schuurmans, D. and F. Southey
Local search characteristics of incomplete SAT procedures **132** (2001) 121–150
Segre, A.M., S. Forman, G. Resta and A. Wildenberg
Nagging: A scalable fault-tolerant paradigm for distributed search **140** (2002) 71–106
Shazeer, N., see Littman, M.L. **134** (2002) 23– 55
Sheppard, B.
World-championship-caliber Scrabble **134** (2002) 241–275
Shoham, Y. and S. Toledo
Parallel Randomized Best-First Minimax Search **137** (2002) 165–196

Sideri, M., see Gottlob, G. **138** (2002) 55– 86
Signac, L., see Fouks, J.-D. **133** (2001) 87–116
Simons, P., I. Niemelä and T. Soininen
Extending and implementing the stable model semantics **138** (2002) 181–234
Singh, Y.P. and P. RoyChowdhury
Dynamic tunneling based regularization in feedforward neural networks **131** (2001) 55– 71
Soininen, T., see Simons, P. **138** (2002) 181–234
Son, T.C., see Dung, P.M. **133** (2001) 35– 85
Southey, F., see Schuurmans, D. **132** (2001) 121–150
Sperduti, A., see Aiolli, F. **137** (2002) 197–216
Srivastava, B., S. Kambhampati and M.B. Do
Planning the project management way: Efficient planning by effective integration of causal and resource reasoning in RealPlan **131** (2001) 73–134
Stolle, R., see Bradley, E. **133** (2001) 139–188
Sutcliffe, G. and C. Suttner
Evaluating general purpose automated theorem proving systems **131** (2001) 39– 54
Suttner, C., see Sutcliffe, G. **131** (2001) 39– 54
Swift, T., see Cui, B. **138** (2002) 117–147
Szafron, D., see Billings, D. **134** (2002) 201–240

Tang, W., see Zhou, Z.-H. **137** (2002) 239–263
Tang, Y.Y., see Liu, J. **136** (2002) 101–144
Tennenholtz, M.
Tractable combinatorial auctions and b-matching (Research Note) **140** (2002) 231–243
Tesauro, G.
Programming backgammon using self-teaching neural nets **134** (2002) 181–199
Thielscher, M.
The Qualification Problem: A solution to the problem of anomalous models **131** (2001) 1– 37
Toledo, S., see Shoham, Y. **137** (2002) 165–196
Truszczyński, M., see Marek, V. **138** (2002) 149–180

Uiterwijk, J.W.H.M., see van den Herik, H.J. **134** (2002) 277–311

Van Allen, T., see Delgrande, J. **131** (2001) 135–170
van Beek, P., see Bacchus, F. **140** (2002) 1– 37
van den Herik, H.J., see Schaeffer, J. **134** (2002) 1– 7
van den Herik, H.J., J.W.H.M. Uiterwijk and J. van Rijswijck
Games solved: Now and in the future **134** (2002) 277–311
van der Gaag, L.C., see Renooij, S. **140** (2002) 207–230
van Rijswijck, J., see van den Herik, H.J. **134** (2002) 277–311
Veloso, M., see Bowling, M. **136** (2002) 215–250

Vrahatis, M.N., see Boutsinas, B. **132** (2001) 1– 38

Walsh, T., see Bacchus, F. **140** (2002) 1– 37
Wang, H., see Ying, M. **139** (2002) 253–267
Wang, X.S., see Bettini, C. **140** (2002) 107–152
Wetprasit, R., see Navarrete, I. **140** (2002) 39– 70
Wildenberg, A., see Segre, A.M. **140** (2002) 71–106
Wotawa, F.
On the relationship between model-based debugging and program slicing **135** (2002) 125–143
Wu, J., see Zhou, Z.-H. **137** (2002) 239–263

Yao, X., see He, J. **140** (2002) 245–248
Ying, M. and H. Wang
Lattice-theoretic models of conjectures, hypotheses and consequences (Research Note) **139** (2002) 253–267
You, J.-H., see Lin, F. **140** (2002) 175–205

Zanella, M., see Lamperti, G. **137** (2002) 91–163
Zhou, Z.-H., J. Wu and W. Tang
Ensembling neural networks: Many could be better than all **137** (2002) 239–263

ELSEVIER

Artificial Intelligence 140 (2002) 263–266

Artificial Intelligence

www.elsevier.com/locate/artint

Subject Index—Volumes 131–140

Abduction	(140) 175
Abstraction	(139) 175
Acceleration methods	(139) 109
Alpha-Beta	(137) 165
Alpha-beta search	(134) 121
Anaphora	(135) 145
Annotated programs	(138) 149
Answer set programming	(138) 3, (138) 181, (140) 175
Answer sets	(138) 39
Antepartum foetal diagnosis	(136) 1
Antepartum foetal monitoring	(136) 1
Anytime algorithm	(132) 183
Approximation quality	(132) 219
Arabic sign language	(133) 117
Arc consistency	(140) 107
Argumentation	(133) 35
Artificial intelligence methods	(132) 39
Assumptions	(135) 199
ATP problem classification	(131) 39
ATP problem evaluation	(131) 39
ATP system evaluation	(131) 39
Auction	(135) 1
Automated deduction	(139) 47
Automated model building	(133) 139
Automated negotiation	(132) 183
Automated reasoning	(136) 189
Automatic knowledge acquisition	(132) 39
B*	(134) 241
b-matching	(140) 231
Backgammon	(134) 181
Backjumping	(132) 105, (136) 147
Backtracking	(132) 105, (136) 147
Bagging	(137) 239
Bargaining	(132) 183
Bayesian belief nets	(137) 43
Behavior	(133) 87
Behavior prioritization	(136) 101
Behavior selection	(136) 101
Belief revision	(138) 149
Best-first	(137) 165
Bias-variance decomposition	(137) 239
Bidding with synergies	(135) 1
Biological models	(136) 29
Boolean satisfiability	(140) 71
Boosting	(137) 239
Bounded rationality	(132) 183
Branch and bound	(140) 71
Brute-force methods	(134) 277
Categorisation	(133) 189
Causal reasoning	(131) 73
Character dialogue	(139) 213
Chess	(137) 165
Circumscription	(138) 55
Cognitive processing	(133) 189
Cognitive robotics	(131) 1
Cognitive science	(132) 39
Combinatorial auction	(135) 1, (140) 231
Combinatorial game theory	(132) 39
Communicating automata	(137) 91
Compilation	(135) 199
Complex observations	(137) 91
Complexity classes	(139) 1
Complexity of environments	(133) 87
Compression	(139) 91
Computational complexity	(131) 171, (137) 1
Computer chess	(134) 57
Computer Go	(134) 145
Computer Go survey	(132) 39
Computer poker	(134) 201
Computer shogi	(134) 121
Concept representation	(133) 189

0004-3702/2002 Published by Elsevier Science B.V.
PII: S0004-3702(02)00316-8

Conceptual distance (133) 189
Conceptual spaces (133) 189
Condensation (131) 171
Conditional Gaussian distribution (137) 217
Conditional independence test (137) 43
Conflict-based search (139) 21
Conflict-directed backjumping (132) 105
Conjecture (139) 253
Conjunctive normal form (131) 171
Conjunctive queries (138) 55
Consequence (139) 253
Consequence relation (136) 61
Constraint propagation (139) 175
Constraint reasoning (140) 107
Constraint satisfaction (132) 105, (132) 121, (132) 151, (136) 101, (136) 147, (137) 1, (138) 55, (139) 21, (140) 1, (140) 153
Constraint solving (139) 175
Constraint-based reasoning (137) 1
Context-specific independence (140) 207
Crossword puzzles (134) 23
CSP (135) 73, (135) 199, (140) 107
CSP compilation (132) 151

Data mining (131) 199, (137) 43
Database updates (138) 149
Deaf people (133) 117
Debugging (135) 125
Decision theory (133) 1, (139) 137
Default logic (135) 55, (138) 39, (139) 1
Default reasoning (133) 35, (138) 3
Defaults (133) 1
Defeasible (133) 233
Defeat (133) 233
Diagnosis (137) 91
Dictionary representations (134) 241
Discourse (135) 145
Discourse history (139) 213
Discourse markers (139) 213
Discrete-event systems (137) 91
Disjunctive constraints (140) 153
DNA sequence analysis (132) 1
Doubling strategy (134) 181
Dual encoding (140) 1
Dynamic programming (137) 217
Dynamic tunneling technique (131) 55
Dynamical systems (133) 189

EBL (132) 151
Efficient reasoning (131) 135
Electronic commerce (140) 231
Empirical evaluation (132) 219
Encodings (132) 151
Error backpropagation (131) 55
Evaluation function (132) 39, (134) 57, (134) 85, (134) 121
Execution monitoring (131) 1
Experimental analysis (132) 121
Experimental validation (136) 101
Explanations (135) 199
Extrapolation methods (139) 109

Feature construction (134) 85
Feature spaces (133) 189
Fifteen Puzzle (134) 9
Figurative language (135) 145
Filtering techniques (139) 109
Fixed-parameter tractability (138) 55
Fluent Calculus (131) 1
Forgetting (133) 87
Forward checking (132) 105
Frame problem (138) 39
Functional dependency (131) 171
Fuzzy reasoning (139) 175

Game characteristics (134) 277
Game programming (134) 101
Game theory (132) 183, (136) 215
Game tree search (134) 57, (134) 145, (140) 71
Games (134) 181
Generalization capability (131) 55
Genetic algorithm (137) 239
GLEM (134) 85
Go programs (134) 145
Graphical probabilistic models (131) 199
Graphplan (132) 151, (135) 73,

Hand gestures (133) 117
Heuristic evaluation functions (134) 9
Heuristic search (132) 39, (134) 9, (134) 241, (137) 165
Heuristics (135) 73
Hex (134) 101
Hidden variable encoding (140) 1
Hilbert space (136) 61
Horn functions (136) 189
Hybrid graphical model (137) 217
Hybrid search algorithm (139) 21
Hybrid systems (132) 1
Hypothesis (139) 253

Imperfect information (134) 201
Information retrieval (134) 23
Information theory (137) 43
Inheritance networks (132) 1
Initiative (134) 277

Input-output modeling (133) 139
Integration (131) 73
Intelligent hybrid systems (136) 1
Interactive configuration (135) 199
Interval analysis (139) 109
Interval arithmetic (139) 109
Invariant pattern recognition (137) 197

Jamboree search (137) 165
Justification (133) 233

Knowledge discovery (137) 43
Knowledge representation (131) 171, (133) 189, (134) 145, (136) 189, (138) 149
Knowledge representation framework (133) 139
Knowledge updates (138) 87
Knowledge-based methods (134) 277

Learning (133) 87, (136) 147, (137) 43
Learning cost-sensitive classifiers (139) 137
Learning Vector Quantization (137) 197
Level surfaces (131) 55
Local search (132) 121, (139) 21
Logic programming (138) 3, (138) 39, (138) 55, (138) 87, (138) 117
Logic programs (138) 181
LOGISTELLO (134) 85
Loopy belief propagation (134) 23

Machine learning (131) 199, (137) 197, (137) 239
Maintaining arc consistency (132) 105
MAP estimate (137) 217
Margins (137) 197
Mathematical morphology (132) 39
Metonymy (135) 145
Modal logics (139) 47
Model-based diagnosis (135) 125
Monotone DAG-faithful (137) 43
Monte Carlo methods (132) 39
Multi-agent (136) 101
Multi-class classification (137) 197
Multi-item auction (135) 1
Multi-object auction (135) 1
Multiagent learning (136) 215
Multiagent systems (132) 183, (135) 1
Multilayer perceptron (131) 55
Music recognition (137) 217
MZ metric (132) 219

Narrative Generation (139) 213
Narrative models (139) 213
Natural Language Generation (139) 213
Natural language processing (135) 145, (138) 117
Nearest Neighbor (137) 197
Neural network ensemble (137) 239
Neural networks (132) 1, (134) 181, (134) 201, (136) 1, (137) 239
Neuro-fuzzy (133) 117
Noisy-channel model (139) 91
Non-binary constraints (140) 1
Non-monotonic logic (136) 61
Non-monotonic reasoning (133) 1, (138) 117
Non-monotonicity (140) 207
Nonlinear equations (139) 109
Nonlinear systems (136) 29
Nonmonotonic (133) 233
Nonmonotonic logic (135) 55
Nonmonotonic reasoning (132) 1, (138) 3, (138) 55, (139) 1
Numeric constraint satisfaction problem (139) 109

Observation graphs (137) 91
Opening book learning (134) 85
Opponent modeling (134) 201
Optimization (138) 181
Ordered binary decision diagrams (OBDDs) (136) 189
Orthocomplemented lattice (139) 253
Othello (137) 165

PAC-learnability (139) 137
Parallel search (134) 57
Parallel/distributed search algorithms (140) 71
Parameterized complexity (138) 55
Pattern databases (134) 9
Planning (131) 73, (132) 151, (135) 73, (138) 39
Planning graph (135) 73
Point algebra (140) 39
Point-based reasoning (131) 135
Posterior probability (134) 23
Power transmission networks (137) 91
PRE measures (132) 219
Prime implicants (138) 55
Probabilistic constraint satisfaction (134) 23
Probabilistic model (137) 43
Probabilistic reasoning (134) 23, (140) 207
Probability-weighted search (134) 241
PROBCUT (134) 85
Problem solving (134) 9
Program slicing (135) 125
Pronominalization (139) 213
Propagation (139) 109
Prototypes (133) 189
Pruning (139) 109

q-Horn theory (131) 171
Qualification Problem (131) 1
Qualitative behavior (136) 29
Qualitative physics (133) 139
Qualitative reasoning (133) 139, (140) 207
Qualitative temporal reasoning (140) 39
Quantitative temporal reasoning (140) 39
Quantum logic (136) 61
Quiescence search (134) 121

Rational agents (139) 47
Re-weighting (137) 197
Reactive moving behaviors (136) 101
Reasoning (133) 233
Reasoning framework (133) 139
Reasoning with preferences (138) 117
Reasoning with specificity (133) 35
Recognition (133) 117
Recognition problems (136) 189
Region Connection Calculus (137) 1
Regularization method (131) 55
Reinforcement learning (134) 181, (136) 215, (139) 137
REM sleep (133) 87
Repair methods (139) 21
Representational levels (133) 189
Residuated lattice (139) 253
Resolution (139) 47
Resource reasoning (131) 73
Resource-bounded reasoning (132) 183
Restorations (135) 199
Revision (139) 213
Revision programming (138) 149
Revision theory (136) 61
Rewrite systems (140) 175
Rhythmic parsing (137) 217
Rollouts (134) 181
Rough sets (132) 219
Rubik's Cube (134) 9
Rule-based systems (136) 1

Satisfiability (132) 121
Scheduling (131) 73
Scrabble (134) 241
Search extensions (134) 57
Search methods (134) 277
Search pruning (140) 71
Second order generalization (131) 55
Selective ensemble (137) 239
Selective game-tree search (134) 85
Selective search (134) 57, (134) 121
Semantics (133) 1
Series-parallel graphs (131) 135
Shogi (134) 121
Sign language (133) 117
Simulations (134) 201, (134) 241
Single-agent search (134) 9
Skeptical reasoning (135) 55
Sliding-tile puzzles (134) 9
Soft constraints (139) 175
Solving games (134) 277
Spatial reasoning (137) 1
Specificity (133) 35
Stable model semantics (138) 181
Stable models (138) 55
Story generation (139) 213
Strong consistency (139) 109
Summarization (139) 91
Support Vector Machines (131) 199
System identification (133) 139

Tangent distance (137) 197
Temporal constraint satisfaction problem (140) 39
Temporal constraints (140) 107
Temporal difference learning (134) 181
Temporal logics (139) 47
Temporal observations (137) 91
Temporal reasoning (131) 135, (140) 107
Theorem proving (134) 101
Time granularity (140) 107
Tractability (140) 153
Transition graph (136) 29
Twenty-Four Puzzle (134) 9
Two-player games (137) 165

Unate functions (136) 189
Uncertain observations (137) 91
Uncertain reasoning (139) 253
Unconstrained optimization (132) 1

Verification (139) 47

Weight constraints (138) 181
Winner determination (135) 1
Workflow timing constraints (140) 107

XSB (138) 117